
CG-095 - Safety interlock switch

Spare Part Number: CG-095

Net Weight: 0.00kg

Net Dimensions: 0.00cm x 0.00cm x 0.00cm

Description

CG-095 Safety switch

Safety interlock switch couple a moveable guard door with the system that controls the power source of the hazard. When the guard door is opened, the power is isolated, ensuring that the machine does not pose a hazard while an operator requires access.

Please note that project 620 from serial number 620-109 and project 621 from serial number 621-102 should use [CG-092](#) (Refer to DeCh-620/621-01)

Equipment Reference

EVO 2 A Ref.

EVO 3 A Ref.

EVO 3 ELF Ref. **S3**

EVO 3 EDLF Ref. **S3**

EVO 3 IP Ref. **S10**

EASY TO PLATE EVO 3 IPD Ref. **S10**

EASY TO PLATE EVO 3 IPI Ref. **S10**

EVO 4 ELF Ref.

EVO 4 DLF Ref.

EVO 4 LF Ref.

EVO 4 IPI Ref. **S10**

EASY TO PLATE EVO 4 IPD Ref. **S10**

EASY TO PLATE EVO 4 IPI Ref. **S10**

EVO 5 ELF Ref.

EVO 5 DLF Ref.

EVO 5 LF Ref.

EVO 5 IPI Ref. **S10**

EASY TO PLATE EVO 5 IPD Ref. **S10**

EASY TO PLATE EVO 5 IPI Ref. **S10**

EVO 5 BPI Ref. **S10**

EASY TO PLATE EVO 5 BPD Ref. **S10**

EASY TO PLATE EVO 5 BPI Ref. **S10**

620 Ref. **S1, S2, S3, S4, S5, S6, S6-1, S7, S8, S9, S10**

621 Ref. **S1, S2, S3, S4, S5, S6, S6-1, S7, S8, S9**

Catalogues/Families

| Suitable for the following equipment models: | |
|--|--|
| CLASSIC 4 P | |
| EASY TO PLATE EVO 4 IPD | |
| EASY TO PLATE EVO 4 IPI | |
| EASY TO PLATE EVO 4 IPI | |
| EASY TO PLATE EVO 5 BPD | |
| EASY TO PLATE EVO 5 BPI | |
| EASY TO PLATE EVO 5 BPI | |
| EASY TO PLATE EVO 5 IPD | |
| EASY TO PLATE EVO 5 IPI | |
| EASY TO PLATE EVO 5 IPI | |
| EVO 2 A | |
| EVO 3 A | |
| EVO 3 EDLF | |
| EVO 3 ELF | |
| EVO 3 IP | |
| EVO 4 D | |
| EVO 4 DLF | |
| EVO 4 EDLF | |
| EVO 4 ELF | |
| EVO 4 IP | |
| EVO 4 LF | |
| EVO 5 D | |
| EVO 5 DLF | |
| EVO 5 ELF | |
| EVO 5 LF | |
| Spare Part Type | |
| Electrical Component | |
| Spare Part Group | |

| | |
|----------------|--|
| Others | |
| Stock Type | |
| Standard Stock | |

Product Gallery